



Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; height: 30px; width: 100%;"></div> <div style="text-align: right;">   </div>
Display:	<div style="border: 1px solid black; width: 50px; text-align: center;">15</div> Documents in Display Format: <div style="border: 1px solid black; width: 50px; text-align: center;">-</div> Starting with Number <div style="border: 1px solid black; width: 50px; text-align: center;">1</div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Monday, January 23, 2006 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT; PLUR=NO; OP=ADJ

<u>L8</u>	l3 and version	3	<u>L8</u>
<u>L7</u>	l1 and number	1	<u>L7</u>
<u>L6</u>	l1 and id	0	<u>L6</u>
<u>L5</u>	l3 and (eras\$4 or clear\$4 or de\$1allocat\$5)	1	<u>L5</u>
<u>L4</u>	l3 and (table same pointer same entr\$4)	1	<u>L4</u>
<u>L3</u>	l1 or L2	3	<u>L3</u>

DB=USPT; PLUR=NO; OP=ADJ

<u>L2</u>	(5687343 or 6594744).pn.	2	<u>L2</u>
-----------	--------------------------	---	-----------

DB=PGPB; PLUR=NO; OP=ADJ

<u>L1</u>	20030005248	1	<u>L1</u>
-----------	-------------	---	-----------

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L11 and L14	57

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L15

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, January 23, 2006 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count **Set Name**
result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ

<u>L15</u>	l11 and L14	57	<u>L15</u>
<u>L14</u>	l10 and l12 and L13	877	<u>L14</u>
<u>L13</u>	invalid\$5 with (index\$4 or id or identit\$4 or indentifier or identification)	5614	<u>L13</u>
<u>L12</u>	entr\$5 with (index\$4 or id or identit\$4 or indentifier or identification)	61134	<u>L12</u>
<u>L11</u>	copy-on-writ\$4 or (copy\$4 near3 writ\$4)	8817	<u>L11</u>
<u>L10</u>	l9 or checkpoint\$4	427565	<u>L10</u>
<u>L9</u>	point-in-time or (point adj in adj time) or version\$4 or snapshot	422401	<u>L9</u>

DB=PGPB,USPT; PLUR=NO; OP=ADJ

<u>L8</u>	l3 and version	3	<u>L8</u>
<u>L7</u>	l1 and number	1	<u>L7</u>
<u>L6</u>	l1 and id	0	<u>L6</u>
<u>L5</u>	l3 and (eras\$4 or clear\$4 or de\$1allocat\$5)	1	<u>L5</u>
<u>L4</u>	l3 and (table same pointer same entr\$4)	1	<u>L4</u>
<u>L3</u>	l1 or L2	3	<u>L3</u>

DB=USPT; PLUR=NO; OP=ADJ

L2 (5687343 or 6594744).pn.

2 L2

DB=PGPB; PLUR=NO; OP=ADJ

L1 20030005248

1 L1

END OF SEARCH HISTORY